

JOY RIDER
REGAIN YOUR MOBILITY

JOYRIDER (SPLIT FRAME VERSION)



Detachable frame design



Lightweight, compact and portable




2 Secs folding mechanism



Small turning radius



Agile joystick controlling system



BLACK GREEN BLUE

Stylish design, 3 color available


SPLIT FRAME DESIGN

With the quick-released design, no tools are required for splitting Joyrider into two parts. Lighter weight helps people to lift it into the trunk of the car or to carry easily.



FEATURES

- **Swing-away footrest**
Unique footrest makes it easy to get in or out.
- **Removable Li-ion battery pack**
Easy to trade to a fresh battery.
- **Electromagnetic brake system**
The Electromagnetic brake slopes Joyrider instantly while you release the joystick. Guarantee you a safe ride even on slopes.
- **Quiet efficient brushless motor**
3 times the lifetime than DC brushed motor.



SPECIFICATIONS

Overall Weight	22.9 kg (50.5 lb) including battery
Dimensions (LxWxH)	855 x 660 x 910 mm (34" x 26" x 36")
Folded (LxWxH)	1115 x 660 x 320 mm (44" x 26" x 12")
Seat Height	485 mm (19")
Seat Dimensions	330 x 420 mm (13" x 16.5")
Max User Weight	115 kg (253 lb)
Range	8.7 Ah: 13 km (8.1 mile) / 10.5Ah: 15 km (9.3 mile)
Speed	0-6 km/h (0-3.7 MPH)
Max Slope	10°
Turning Radius	900 mm (35")
Motor	Brushless DC 24V, 200W x 2
Braking System	Electromagnetic brake
Control System	Joystick
Battery	DC 24V, 8.7Ah Li-ion battery / DC 24V, 10.5Ah Li-ion battery
Charger	24V 2A
Charging Time	4.5-5.5 Hour
Front Wheels	7 inch PU solid
Rear Wheels	10 inch pneumatic / 10 inch PU solid
Colors	Black / Green / Blue
Armrests	Standard with PU pad, fixed
Accessories	Safety belt, basket, rear bag, water bottle holder, front light, rear light, reflector, charging adapter (off-board adapter), conversion kit for swing-away armrest, stand, travel bag, assistance kit, magnetic connection set
Warranty And Service	1 year excluding wearable parts

NOTE:Accessories shown in the photographs are not necessarily included in the base price.

*All specifications and product configurations are subject to change without notification.

**Range figure is based on the test results in laboratory. Actual figures may differ by using conditions such as user weights, road conditions, weather, and etc.

DKCITY

<https://www.dkcity.com> E-mail: sales@dkcity.com

(P)+886-4-25321000 (F)+886-4-25325000

No. 1, Lane 160, Sec.2, Tan-Fu Road, Tan-Tzu District, Taichung City, Taiwan R.O.C.

JOY RIDER
REGAIN YOUR MOBILITY

分割仕様



フレーム分割デザイン



持ち運びに楽です




2秒で折り畳み構造



回転半径が小さいです



優れたjoystickコントロールシステム



黒 緑 ブルー

おしゃれなデザイン
3色が選べます


フレーム分割デザイン

分割仕様なので、ツールなしで、数秒で二つに分割することが出来ます。軽量なので、簡単に持ち運びできます。車の中にも簡単に収まります。



特徴

- **スウィングペダル**
乗るのに、出るのに便利です。
- **外して、交換ができます**
安定性、寿命は従来の鉛蓄電池の3倍です。
- **電磁ブレーキシステム**
操作バーを離すと電磁ブレーキがすぐにジョイライダーを停止します。坂でも安全な運転を確保できます。
- **静かで効率的なブラシレスモーター**
静かで効率的なブラシレスモーター寿命は従来のブラシモーターの3倍です。



規格

重量 (電池含め)	22.9 kg
折り畳んだサイズ (LxWxH)	855 x 660 x 910 mm
展開サイズ (LxWxH)	1115 x 660 x 320 mm
シート高さ	485 mm
シートサイズ	330 x 420 mm
荷重	115 kg
フル充電の走行距離	8.7A:13 km/10.5A:15 km
速度	0-6 km/h (0-3.7 MPH)
最大勾配	10度
回転半径	900 mm
ブラシレスモーター	DC 24V.200W×2
電磁ブレーキシステム	機械的牽引タイヤ制御システム
コントロールシステム	Joystick
電池	DC24V8.7AH / DC24V10.5AH リチウム 電池
充電器	24V 2A
充電時間	4.5-5.5 h
前輪	7インチ PU ソリッド
後輪	10インチ空気圧/10インチPUソリッド
色	黒 / 緑 / ブルー
ひじ掛け	標準PUボード 固定式
付属品	安全ベルト、バスケット、リアバッグ、ウォーターボトルホルダー、フロントライト、リアライト、リフレクター、充電アダプター (オフボードアダプター)、スイングアウェイアームレスト用変換キット、スタンド、トラベルバッグ、アシスタンスキット、磁気接続セット
保証とサービス	ウェアラブルパーツを除く1年

NOTE:写真に写っている付属品は基本価格に含まれているわけではありません。

*すべての仕様および製品構成は、通知なし、変更される場合があります。

**範囲の数値は実験室でのテスト結果に基づいています。実際の数値はユーザーの体重、道路状況、天候などの条件によって異なる場合があります。

DKCITY

<https://www.dkcity.com> E-mail: sales@dkcity.com

(P)+886-4-25321000 (F)+886-4-25325000

No. 1, Lane 160, Sec.2, Tan-Fu Road, Tan-Tzu District, Taichung City, Taiwan R.O.C.